

# Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.25, Record generated: 6/11/2024 11:35:09 AM

**Submission #:** HQ4-A4X1-Y56DV, version 1

## Details

---

**Submitted:** 6/11/2024 11:03:47 AM by Lane Simon

**ID:** VT0005096 2024 May

**Submission ID:** HQ4-A4X1-Y56DV

## Form Input

---

### Water System Information

**Water System ID**

VT0005096

**Name of Water System**

JERICO UNDERHILL WATER

**Month Being Reported (the month the report represents, not the current month)**

May

**Report Year**

2024

**Any notes to share**

**Is a master meter which measures total water production of the system installed and functioning?**

Yes

**Meter Readings and Usage**

---

**Select how your usage is reported**

Gallons

**Meter reading on last day of previous month**

0

**Meter reading on last day of reporting month**

0

**Total Water Production for the Reporting Period**

1576162

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

**Prior Report Total Water Production**

1202732

**Continuous Monitoring of Free Chlorine Residuals**

---

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

**Did continuous monitoring fail at any time this month?**

No

**Are you submitting a daily detail table?**

Yes

**Daily Data Detail Table (1 of 1)**

---

**Facility**

TP001 - TREATMENT PLANT 1

**Did the facility utilize standby chlorination at any point during this reporting period**

Yes

**Are you reporting daily meter readings or daily gallons produced?**

Meter readings

**Daily Reporting Data**

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
05/01/2024	35028	1.023	0.94		1.01
05/02/2024	35241	1.023			
05/03/2024	35818	1.029	0.95		0.89
05/04/2024	37316	1.023			
05/05/2024	39169	1.029			
05/06/2024	212888	1.023	1.02		0.92
05/07/2024	110309	1.023			
05/08/2024	35017	1.023	0.86		1.94
05/09/2024	35756	1.029			
05/10/2024	38545	1.023	0.59		
05/11/2024	36677	1.023			

05/12/2024	67333	1.023			
05/13/2024	39401	1.029	0.97		0.86
05/14/2024	34886	1.023			
05/15/2024	37202	1.029	0.93		1.06
05/16/2024	53049	1.023			
05/17/2024	50854	1.023	0.87		0.94
05/18/2024	37861	1.023			
05/19/2024	44099	1.029			
05/20/2024	83282	1.029	1.05		0.88
05/21/2024	38065	1.023			
05/22/2024	41113	1.023			
05/23/2024	38721	1.029			
05/24/2024	59900	1.023	0.85		1.17
05/25/2024	53327	1.023			
05/26/2024	44975	1.029	0.41		0.92
05/27/2024	44286	1.023			
05/28/2024	38647	1.029			
05/29/2024	37511	1.029	0.65		1.46
05/30/2024	41184	1.029			
05/31/2024	38702	1.029			