

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.28, Record generated: 4/9/2025 6:35:10 AM

Submission #: HQB-PYGB-45ANG, version 1

Details

Submitted: 4/8/2025 7:28:20 PM by Lane Simon

ID: VT0005096 2025 March

Submission ID: HQB-PYGB-45ANG

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

March

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1164591

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1101156

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
03/01/2025	31877	0.701			
03/02/2025	26083	0.466			
03/03/2025	28002	0.53	0.79		0.91
03/04/2025	53747	0.841			
03/05/2025	33771	2.442			
03/06/2025	34161	2.442	0.8		0.64
03/07/2025	34610	0.484	0.77		0.46
03/08/2025	33396	0.417			
03/09/2025	52768	1.364			

03/10/2025	32686	1.159	1.15		0.84
03/11/2025	34622	0.426			
03/12/2025	34216	0.368	0.61		0.71
03/13/2025	33897	0.353			
03/14/2025	36327	1.239	0.84		0.58
03/15/2025	37242	0.365			
03/16/2025	60094	0.392			
03/17/2025	35527	0.429	0.93		0.57
03/18/2025	34771	0.509			
03/19/2025	34884	0.389	0.85		0.49
03/20/2025	35261	0.368			
03/21/2025	34900	0.377	0.79		0.56
03/22/2025	36633	2.442			
03/23/2025	36358	0.389			
03/24/2025	37479	0.399	0.77		0.68
03/25/2025	35122	0.429			
03/26/2025	37908	0.405	1.06		0.81
03/27/2025	37385	0.392	1.09		1.7
03/28/2025	37084	0.454			
03/29/2025	35618	0.475			
03/30/2025	62412	0.374			
03/31/2025	35750	0.402			