

Jericho Underhill Water

P.O. Box 174

100300

Underhill, VT 05489

Atten: Nancy Benson

PROJECT: WSID 5096 Jericho UH PFAS

WORK ORDER: **2606-19822**

DATE RECEIVED: June 17, 2026

DATE REPORTED: June 30, 2026

SAMPLER: Ryan Cotnoir

VT0005096

Laboratory Report

Enclosed please find the results of the analyses performed for the samples referenced on the attached chain of custody. All required method quality control elements including instrument calibration were performed in accordance with method requirements and determined to be acceptable unless otherwise noted.

The column labeled Lab/Tech in the accompanying report denotes the laboratory facility where the testing was performed and the technician who conducted the assay. A "W" designates the Williston, VT lab under NELAC certification ELAP 11263; "R" designates the Lebanon, NH facility under certification NH 2037 and "N" the Plattsburgh, NY lab under certification ELAP 11892. "Sub" indicates the testing was performed by a subcontracted laboratory. The accreditation status of the subcontracted lab is referenced in the corresponding NELAC and Qual fields. The Williston, VT facility is also ISO/IEC 17025:2017 accredited for Total Coliform and E coli by SM9223B.

The NELAC column also denotes the accreditation status of each laboratory for each reported parameter. "A" indicates the referenced laboratory is NELAC accredited for the parameter reported. "N" indicates the laboratory is not accredited. "U" indicates that NELAC does not offer accreditation for that parameter in that specific matrix. Test results denoted with an "A" meet all National Environmental Laboratory Accreditation Program requirements except where denoted by pertinent data qualifiers. Test results are representative of the samples as they were received at the laboratory

Endyne, Inc. warrants, to the best of its knowledge and belief, the accuracy of the analytical test results contained in this report, but makes no other warranty, expressed or implied, especially no warranties of merchantability or fitness for a particular purpose.

Reviewed by:



Harry B. Locker, Ph.D.
Laboratory Director

www.endynelabs.com

Laboratory Report

DATE REPORTED: 06/30/2026

CLIENT: Jericho Underhill Water
 PROJECT: WSID 5096 Jericho UH PFAS

WORK ORDER: 2606-19822
 DATE RECEIVED: 06/17/2026

001 Site: Entry Point Date Sampled: 6/17/26 Time: 9:13

Facility ID: TP001 Smp Pt: EP001 Categ: GE Smp Type: RT Compl Ind: Y Repl Ind: N

Parameter	Result	Units	Method	Analysis Date/Time	Lab/Tech	NELAC	Qual.
PFAS Package 18							
Perfluorobutanesulfonic acid PFBS	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorohexanoic acid PFHxA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
HFPO-DA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluoroheptanoic acid PFHpA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorohexanesulfonic acid PFHxS	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
ADONA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorooctanoic acid PFOA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorononanoic acid PFNA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorooctanesulfonic acid PFOS	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorodecanoic acid PFDA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
9Cl-PF3ONS	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
NMeFOSAA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluoroundecanoic acid PFUnA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
NeFOSAA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorododecanoic acid PFDoA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
11Cl-PF3OUdS	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorotridecanoic acid PFTrDA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorotetradecanoic acid PFTA	< 0.591	ng/L	EPA 537.1	6/27/26	SUB	A	SBA

002 Site: Field Blank Date Sampled: 6/17/26 Time: 9:13

Facility ID: UNKNO Smp Pt: UNKNO Categ: UN Smp Type: UN Compl Ind: Y Repl Ind: U

Parameter	Result	Units	Method	Analysis Date/Time	Lab/Tech	NELAC	Qual.
PFAS Package 18							
Perfluorobutanesulfonic acid PFBS	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorohexanoic acid PFHxA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
HFPO-DA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluoroheptanoic acid PFHpA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorohexanesulfonic acid PFHxS	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
ADONA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorooctanoic acid PFOA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorononanoic acid PFNA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorooctanesulfonic acid PFOS	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorodecanoic acid PFDA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
9Cl-PF3ONS	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
NMeFOSAA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluoroundecanoic acid PFUnA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
NeFOSAA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorododecanoic acid PFDoA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
11Cl-PF3OUdS	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorotridecanoic acid PFTrDA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA
Perfluorotetradecanoic acid PFTA	< 0.581	ng/L	EPA 537.1	6/27/26	SUB	A	SBA

Laboratory Report

DATE REPORTED: 06/30/2026

CLIENT: Jericho Underhill Water

WORK ORDER: **2606-19822**

PROJECT: WSID 5096 Jericho UH PFAS

DATE RECEIVED: 06/17/2026

Report Summary of Qualifiers and Notes

SBA: Analysis performed by subcontracted laboratory, Pace Analytical, Mansfield MA. Results are presented here for your convenience. The complete subcontracted report has been appended to this report. At the request of the client all less than (<) values reported are the MDL for each compound. Endyne will submit this data electronically to the State of VT Water Supply Division in accordance with their policy and standards.



ANALYTICAL REPORT

Lab Number:	L2638524
Client:	Endyne, Inc. 160 James Brown Drive Williston, VT 05495
ATTN:	Eileen Toomey
Phone:	(802) 879-4333
Project Name:	2606-19822-W
Project Number:	2606-19822
Report Date:	06/29/26

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2638524-01	2606-19822-001	DW	VERMONT	06/17/26 09:13	06/19/26
L2638524-02	2606-19822-002 FB	DW	VERMONT	06/17/26 09:13	06/19/26

Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Darian Duarte

Title: Technical Director/Representative

Date: 06/29/26

QC OUTLIER SUMMARY REPORT

Project Name: 2606-19822-W**Lab Number:** L2638524**Project Number:** 2606-19822**Report Date:** 06/29/26

Method	Client ID (Native ID)	Lab ID	Parameter	QC Type	Recovery/RPD (%)	QC Limits (%)	Associated Samples	Data Quality Assessment
--------	-----------------------	--------	-----------	---------	------------------	---------------	--------------------	-------------------------

There are no QC Outliers associated with this report.

ORGANICS

SEMIVOLATILES

Project Name: 2606-19822-W

Lab Number: L2638524

Project Number: 2606-19822

Report Date: 06/29/26

SAMPLE RESULTS

Lab ID: L2638524-01
 Client ID: 2606-19822-001
 Sample Location: VERMONT

Date Collected: 06/17/26 09:13
 Date Received: 06/19/26
 Field Prep: Not Specified

Sample Depth:

Matrix: Dw
 Analytical Method: 133,537.1
 Analytical Date: 06/27/26 10:18
 Analyst: ZCN

Extraction Method: EPA 537.1
 Extraction Date: 06/24/26 08:05

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.591	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.591	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	2.00	0.591	1
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.591	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.591	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	0.591	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.591	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.591	1
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.591	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.591	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	0.591	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	0.591	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.591	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	0.591	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.591	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	0.591	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	0.591	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	0.591	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	91		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	103		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	97		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	111		70-130

Project Name: 2606-19822-W**Lab Number:** L2638524**Project Number:** 2606-19822**Report Date:** 06/29/26**SAMPLE RESULTS****Lab ID:** L2638524-02**Date Collected:** 06/17/26 09:13**Client ID:** 2606-19822-002 FB**Date Received:** 06/19/26**Sample Location:** VERMONT**Field Prep:** Not Specified**Sample Depth:****Matrix:** Dw**Extraction Method:** EPA 537.1**Analytical Method:** 133,537.1**Extraction Date:** 06/24/26 08:05**Analytical Date:** 06/27/26 10:26**Analyst:** ZCN

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab						
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.581	1
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.581	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	2.00	0.581	1
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.581	1
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.581	1
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	0.581	1
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.581	1
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.581	1
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.581	1
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.581	1
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	0.581	1
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	0.581	1
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.581	1
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	0.581	1
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.581	1
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	0.581	1
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	0.581	1
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	0.581	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	90		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	92		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	101		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	108		70-130

Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

Method Blank Analysis Batch Quality Control

Analytical Method: 133,537.1
Analytical Date: 06/27/26 09:08
Analyst: ZCN

Extraction Method: EPA 537.1
Extraction Date: 06/24/26 08:05

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab for sample(s): 01-02 Batch: WG2232646-1					
Perfluorobutanesulfonic Acid (PFBS)	ND		ng/l	2.00	0.668
Perfluorohexanoic Acid (PFHxA)	ND		ng/l	2.00	0.668
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND		ng/l	2.00	0.668
Perfluoroheptanoic Acid (PFHpA)	ND		ng/l	2.00	0.668
Perfluorohexanesulfonic Acid (PFHxS)	ND		ng/l	2.00	0.668
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND		ng/l	2.00	0.668
Perfluorooctanoic Acid (PFOA)	ND		ng/l	2.00	0.668
Perfluorononanoic Acid (PFNA)	ND		ng/l	2.00	0.668
Perfluorooctanesulfonic Acid (PFOS)	ND		ng/l	2.00	0.668
Perfluorodecanoic Acid (PFDA)	ND		ng/l	2.00	0.668
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND		ng/l	2.00	0.668
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND		ng/l	2.00	0.668
Perfluoroundecanoic Acid (PFUnA)	ND		ng/l	2.00	0.668
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND		ng/l	2.00	0.668
Perfluorododecanoic Acid (PFDoA)	ND		ng/l	2.00	0.668
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND		ng/l	2.00	0.668
Perfluorotridecanoic Acid (PFTrDA)	ND		ng/l	2.00	0.668
Perfluorotetradecanoic Acid (PFTA)	ND		ng/l	2.00	0.668

Project Name: 2606-19822-W

Project Number: 2606-19822

Lab Number: L2638524

Report Date: 06/29/26

Method Blank Analysis Batch Quality Control

Analytical Method: 133,537.1
 Analytical Date: 06/27/26 09:08
 Analyst: ZCN

Extraction Method: EPA 537.1
 Extraction Date: 06/24/26 08:05

Parameter	Result	Qualifier	Units	RL	MDL
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab for sample(s): 01-02 Batch: WG2232646-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	96		70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	101		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	95		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	102		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 2606-19822-W

Project Number: 2606-19822

Lab Number: L2638524

Report Date: 06/29/26

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01-02 Batch: WG2232646-2								
Perfluorobutanesulfonic Acid (PFBS)	99		-		70-130	-		
Perfluorohexanoic Acid (PFHxA)	96		-		70-130	-		
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	95		-		70-130	-		
Perfluoroheptanoic Acid (PFHpA)	88		-		70-130	-		
Perfluorohexanesulfonic Acid (PFHxS)	98		-		70-130	-		
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	114		-		70-130	-		
Perfluorooctanoic Acid (PFOA)	108		-		70-130	-		
Perfluorononanoic Acid (PFNA)	106		-		70-130	-		
Perfluorooctanesulfonic Acid (PFOS)	94		-		70-130	-		
Perfluorodecanoic Acid (PFDA)	107		-		70-130	-		
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	101		-		70-130	-		
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	102		-		70-130	-		
Perfluoroundecanoic Acid (PFUnA)	112		-		70-130	-		
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	108		-		70-130	-		
Perfluorododecanoic Acid (PFDoA)	109		-		70-130	-		
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	100		-		70-130	-		

Lab Control Sample Analysis **Batch Quality Control**

Project Name: 2606-19822-W

Lab Number: L2638524

Project Number: 2606-19822

Report Date: 06/29/26

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01-02 Batch: WG2232646-2								
Perfluorotridecanoic Acid (PFTrDA)	115		-		70-130	-		
Perfluorotetradecanoic Acid (PFTA)	108		-		70-130	-		

Surrogate	LCS %Recovery	Qual	LCS %Recovery	Qual	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	86				70-130
Tetrafluoro-2-heptafluoropropoxy-[13C3]-propanoic acid (13C3-HFPO-DA)	93				70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	103				70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	100				70-130

Matrix Spike Analysis
Batch Quality Control

Project Name: 2606-19822-W

Project Number: 2606-19822

Lab Number: L2638524

Report Date: 06/29/26

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG2232646-3 QC Sample: L2638881-01 Client ID:												
MS Sample												
Perfluorobutanesulfonic Acid (PFBS)	ND	31.7	31.8	100		-	-		70-130	-		
Perfluorohexanoic Acid (PFHxA)	0.908J	35.7	34.8	98		-	-		70-130	-		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	35.7	34.1	96		-	-		70-130	-		
Perfluoroheptanoic Acid (PFHpA)	ND	35.7	36.8	103		-	-		70-130	-		
Perfluorohexanesulfonic Acid (PFHxS)	ND	32.6	33.2	102		-	-		70-130	-		
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	33.7	35.2	104		-	-		70-130	-		
Perfluorooctanoic Acid (PFOA)	1.31J	35.7	38.0	106		-	-		70-130	-		
Perfluorononanoic Acid (PFNA)	ND	35.7	34.7	97		-	-		70-130	-		
Perfluorooctanesulfonic Acid (PFOS)	ND	33.1	32.5	98		-	-		70-130	-		
Perfluorodecanoic Acid (PFDA)	ND	35.7	35.4	99		-	-		70-130	-		
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	33.3	32.4	97		-	-		70-130	-		
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	35.7	29.8	84		-	-		70-130	-		
Perfluoroundecanoic Acid (PFUnA)	ND	35.7	35.8	100		-	-		70-130	-		
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	35.7	31.0	87		-	-		70-130	-		
Perfluorododecanoic Acid (PFDoA)	ND	35.7	34.1	96		-	-		70-130	-		

Matrix Spike Analysis **Batch Quality Control**

Project Name: 2606-19822-W

Lab Number: L2638524

Project Number: 2606-19822

Report Date: 06/29/26

<i>Parameter</i>	<i>Native Sample</i>	<i>MS Added</i>	<i>MS Found</i>	<i>MS %Recovery</i>	<i>Qual</i>	<i>MSD Found</i>	<i>MSD %Recovery</i>	<i>Qual</i>	<i>Recovery Limits</i>	<i>RPD</i>	<i>Qual</i>	<i>RPD Limits</i>
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab MS Sample												
Associated sample(s): 01-02						QC Batch ID: WG2232646-3			QC Sample: L2638881-01		Client ID:	
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	33.7	31.4	93		-	-		70-130	-		
Perfluorotridecanoic Acid (PFTTrDA)	ND	35.7	34.3	96		-	-		70-130	-		
Perfluorotetradecanoic Acid (PFTA)	ND	35.7	34.2	96		-	-		70-130	-		

<i>Surrogate</i>	<i>MS % Recovery</i>	<i>Qualifier</i>	<i>MSD % Recovery</i>	<i>Qualifier</i>	<i>Acceptance Criteria</i>
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	89				70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	79				70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	94				70-130
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	92				70-130

Lab Duplicate Analysis Batch Quality Control

Project Name: 2606-19822-W

Project Number: 2606-19822

Lab Number: L2638524

Report Date: 06/29/26

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG2232646-4 QC Sample: L2638881-02 Client ID: DUP Sample						
Perfluorobutanesulfonic Acid (PFBS)	ND	ND	ng/l	NC		30
Perfluorohexanoic Acid (PFHxA)	1.60J	1.58J	ng/l	NC		30
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid (HFPO-DA)	ND	ND	ng/l	NC		30
Perfluoroheptanoic Acid (PFHpA)	0.964J	1.11J	ng/l	NC		30
Perfluorohexanesulfonic Acid (PFHxS)	0.900J	1.00J	ng/l	NC		30
4,8-Dioxa-3h-Perfluorononanoic Acid (ADONA)	ND	ND	ng/l	NC		30
Perfluorooctanoic Acid (PFOA)	2.36	2.65	ng/l	12		30
Perfluorononanoic Acid (PFNA)	1.76J	1.36J	ng/l	NC		30
Perfluorooctanesulfonic Acid (PFOS)	ND	ND	ng/l	NC		30
Perfluorodecanoic Acid (PFDA)	ND	ND	ng/l	NC		30
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid (9Cl-PF3ONS)	ND	ND	ng/l	NC		30
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	ND	ND	ng/l	NC		30
Perfluoroundecanoic Acid (PFUnA)	ND	ND	ng/l	NC		30
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NEtFOSAA)	ND	ND	ng/l	NC		30
Perfluorododecanoic Acid (PFDoA)	ND	ND	ng/l	NC		30
11-Chloroeicosafluoro-3-Oxaundecane-1-Sulfonic Acid (11Cl-PF3OUdS)	ND	ND	ng/l	NC		30

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2606-19822-W

Project Number: 2606-19822

Lab Number: L2638524

Report Date: 06/29/26

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Perfluorinated Alkyl Acids by EPA 537.1 - Mansfield Lab Associated sample(s): 01-02 QC Batch ID: WG2232646-4 QC Sample: L2638881-02 Client ID: DUP Sample						

Perfluorotridecanoic Acid (PFTrDA)	ND	ND	ng/l	NC		30
Perfluorotetradecanoic Acid (PFTA)	ND	ND	ng/l	NC		30

Surrogate	%Recovery	Qualifier	%Recovery	Qualifier	Acceptance Criteria
Perfluoro-n-[1,2-13C2]hexanoic Acid (13C-PFHxA)	98		102		70-130
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-13C3-Propanoic Acid (M3HFPO-DA)	104		98		70-130
Perfluoro-n-[1,2-13C2]decanoic Acid (13C-PFDA)	96		95		70-130
N-Deuterioethylperfluoro-1-octanesulfonamidoacetic Acid (d5-NEtFOSAA)	98		82		70-130

Project Name: 2606-19822-W
Project Number: 2606-19822

Serial_No:06292615:23
Lab Number: L2638524
Report Date: 06/29/26

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2638524-01A	Plastic 250ml Trizma preserved	NA	NA			Y	Absent		A2-NH-537.1(14)
L2638524-01B	Plastic 250ml Trizma preserved	NA	NA			Y	Absent		A2-NH-537.1(14)
L2638524-02A	Plastic 250ml Trizma preserved	NA	NA			Y	Absent		A2-NH-537.1(14)

Project Name: 2606-19822-W
Project Number: 2606-19822

Serial_No:06292615:23
Lab Number: L2638524
Report Date: 06/29/26

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
PERFLUOROALKYL CARBOXYLIC ACIDS (PFCAs)		
Perfluorooctadecanoic Acid	PFODA	16517-11-6
Perfluorohexadecanoic Acid	PFHxDA	67905-19-5
Perfluorotetradecanoic Acid	PFTA/PFTeDA	376-06-7
Perfluorotridecanoic Acid	PFTrDA	72629-94-8
Perfluorododecanoic Acid	PFDoA	307-55-1
Perfluoroundecanoic Acid	PFUnA	2058-94-8
Perfluorodecanoic Acid	PFDA	335-76-2
Perfluorononanoic Acid	PFNA	375-95-1
Perfluorooctanoic Acid	PFOA	335-67-1
Perfluoroheptanoic Acid	PFHpA	375-85-9
Perfluorohexanoic Acid	PFHxA	307-24-4
Perfluoropentanoic Acid	PFPeA	2706-90-3
Perfluorobutanoic Acid	PFBA	375-22-4
PERFLUOROALKYL SULFONIC ACIDS (PFSAs)		
Perfluorododecanesulfonic Acid	PFDoDS/PFDoS	79780-39-5
Perfluorodecanesulfonic Acid	PFDS	335-77-3
Perfluorononanesulfonic Acid	PFNS	68259-12-1
Perfluorooctanesulfonic Acid	PFOS	1763-23-1
Perfluoroheptanesulfonic Acid	PFHpS	375-92-8
Perfluorohexanesulfonic Acid	PFHxS	355-46-4
Perfluoropentanesulfonic Acid	PFPeS	2706-91-4
Perfluorobutanesulfonic Acid	PFBS	375-73-5
Perfluoropropanesulfonic Acid	PFPrS	423-41-6
FLUOROTELOMERS		
1H,1H,2H,2H-Perfluorododecanesulfonic Acid	10:2FTS	120226-60-0
1H,1H,2H,2H-Perfluorodecanesulfonic Acid	8:2FTS	39108-34-4
1H,1H,2H,2H-Perfluorooctanesulfonic Acid	6:2FTS	27619-97-2
1H,1H,2H,2H-Perfluorohexanesulfonic Acid	4:2FTS	757124-72-4
PERFLUOROALKANE SULFONAMIDES (FASAs)		
Perfluorooctanesulfonamide	FOSA/PFOSA	754-91-6
N-Ethyl Perfluorooctane Sulfonamide	NEtFOSA	4151-50-2
N-Methyl Perfluorooctane Sulfonamide	NMeFOSA	31506-32-8
PERFLUOROALKANE SULFONYL SUBSTANCES		
N-Ethyl Perfluorooctanesulfonamido Ethanol	NEtFOSE	1691-99-2
N-Methyl Perfluorooctanesulfonamido Ethanol	NMeFOSE	24448-09-7
N-Ethyl Perfluorooctanesulfonamidoacetic Acid	NEtFOSAA	2991-50-6
N-Methyl Perfluorooctanesulfonamidoacetic Acid	NMeFOSAA	2355-31-9
PER- and POLYFLUOROALKYL ETHER CARBOXYLIC ACIDS		
2,3,3,3-Tetrafluoro-2-[1,1,2,2,3,3,3-Heptafluoropropoxy]-Propanoic Acid	HFPO-DA	13252-13-6
4,8-Dioxa-3h-Perfluorononanoic Acid	ADONA	919005-14-4
CHLORO-PERFLUOROALKYL SULFONIC ACIDS		
11-Chloroeicosafuoro-3-Oxaundecane-1-Sulfonic Acid	11Cl-PF3OUdS	763051-92-9
9-Chlorohexadecafluoro-3-Oxanone-1-Sulfonic Acid	9Cl-PF3ONS	756426-58-1
PERFLUOROETHER SULFONIC ACIDS (PFESAs)		
Perfluoro(2-Ethoxyethane)Sulfonic Acid	PFEESA	113507-82-7
PERFLUOROETHER/POLYETHER CARBOXYLIC ACIDS (PFPCAs)		
Perfluoro-3-Methoxypropanoic Acid	PFMPA	377-73-1
Perfluoro-4-Methoxybutanoic Acid	PFMBA	863090-89-5
Nonafuoro-3,6-Dioxaheptanoic Acid	NFDHA	151772-58-6

Project Name: 2606-19822-W
Project Number: 2606-19822

Serial_No:06292615:23
Lab Number: L2638524
Report Date: 06/29/26

PFAS PARAMETER SUMMARY

Parameter	Acronym	CAS Number
FLUOROTELOMER CARBOXYLIC ACIDS (FTCAs)		
3-Perfluoroheptyl Propanoic Acid	7:3FTCA	812-70-4
2H,2H,3H,3H-Perfluorooctanoic Acid	5:3FTCA	914637-49-3
3-Perfluoropropyl Propanoic Acid	3:3FTCA	356-02-5

Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers



Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were

Report Format: DU Report with 'J' Qualifiers



Project Name: 2606-19822-W
Project Number: 2606-19822

Lab Number: L2638524
Report Date: 06/29/26

Data Qualifiers

estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 2606-19822-W**Lab Number:** L2638524**Project Number:** 2606-19822**Report Date:** 06/29/26

REFERENCES

- 133 Determination of Selected Per- and Polyfluorinated Alkyl Substances in Drinking Water by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS). EPA Method 537.1, EPA/600/R-20/006. Version 2.0, March 2020.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



ENV-FORM-WES2-0065 v03 Certificate/Approval Program Summary

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; **SCM:** Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

EPA 8270E: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; **SCM:** Dimethylnaphthalene, 1,4-Diphenylhydrazine.

SM4500: NPW: Amenable Cyanide; **SCM:** Total Phosphorus, TKN, NO₂, NO₃.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

SM 2540D: TSS.

Biological Tissue Matrix: EPA 3050B

PAS-MAN1 Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
MADEP-APH.

PAS-ELON East Longmeadow Facility – 39 Spruce Street East Longmeadow, MA 01028

EPA 524.2: 1,3,5-Trichlorobenzene, m/p-Xylene, o-xylene.

EPA 625.1: 1,2-Dichlorobenzene, 1,3-Dichlorobenzene, 1,4-Dichlorobenzene, N-Nitrosodiphenylamine.

EPA 8081B NPW and SCM: Alachlor, Endrin Ketone, Hexachlorobenzene.

EPA 8260D NPW: Tetrahydrofuran, 1,3,5-Trichlorobenzene; **SCM:** TAME, TBEE, Diethyl ether, DIPE, Tetrahydrofuran, 1,3,5-Trichlorobenzene, Freon-113.

EPA 8270E: NPW: Carbazole, 1-Methylnaphthalene, Pentachloronitrobenzene; **SCM:** Carbazole, 1-Methylnaphthalene.

EPA TO-13: Air: Benzo(e)pyrene, 1-Methylnaphthalene, 2-Methylnaphthalene, Perylene.

EPA TO-4A Pesticide Air: delta-BHC, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Endrin Ketone, Hexachlorobenzene, Methoxychlor.

SM4500: NPW: Amenable Cyanide; **SCM:** Total Phosphorus, TKN, NH₃, NECi: NO₂, NO₃, ASTMD516.

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

EPA 504.1: EDB, DBCP.

Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT,.

Non-Potable Water

SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM4500CL-G, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.
Microbiology: SM9223B-Colilert-QT; Enterolert-QT.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg. EPA 522, EPA 537.1.**

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Ca, Cr, Cu, Fe, Pb, Mg, Mn, Ni, K, Se, Ag, Na, TL, Zn.

EPA 245.1: Hg. **EPA 245.7:** Hg.

SM2340B

ENV-FORM-WES2-0065 v03 Certificate/Approval Program Summary

PAS-ELON East Longmeadow Facility – 39 Spruce Street East Longmeadow, MA 01028

Drinking Water

EPA 300.0: NO₃, NO₂, FI, Cl, SO₄. **NECI Reductase:** NO₃, NO₂.

SM4500F-C, SM4500CI-B, SM4500CN-C,E, EPA 180.1, SM2320B, SM 2540C, SM4500H-B, SM4500SO4-E.

EPA 537.1; EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.

Microbiology: SM9223-P/A: TC/EC; **SM9223B-Colilert-enumeration:** TC/EC; HPC-Simplate.

Non-Potable Water

SM4500H-B, SM2510B, SM2540C, SM2320B, SM4500CI-B, SM4500NH3-B, C, EPA 350.1, NECi: NO₃, **SM4500NH3-B, C:** TKN, **SM4500P-E:** Ortho Phosphate, **SM4500P-B, E:** Total Phosphorus, **EPA 410.4, SM5210B, SM5310C, SM4500CN-C, E, SM2540D, SM4500CI-G, SM4500SO4-E, EPA 1664, EPA 420.1, EPA 300.0:** Cl, SO₄, NO₃.

EPA 624.1: Volatile Halocarbons, Volatile Aromatics.

EPA 608.3: Chlordane, Toxaphene, Aldrin, Alpha-BHC, Beta-BHC, Gamma-BHC, Delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan Sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs.

EPA 625.1: SVOC-Acid Extractables and Base/Neutrals

Microbiology: SM9223B-Colilert: E. coli (Ambient and Wastewater), **SM9223B-Colilert-18:** Fecal Coliform (Wastewater).

Certification IDs:

PAS-WES2 Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

CT PH-0826, IL 200077, IN C-MA-03, KY KY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195.

PAS-MANS Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, CA 3117, CO MA00030, CT PH-0825, IL 200081, IN C-MA-04, KY KY98046, LA 85084, ME MA00030, MD 350, MA M-MA00030, MI 9110, MN 025-999-495, NV MA00030, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, UT MA00030, VT VT-0015, VA 460194, WA C954.

PAS-MAN1 Mansfield Air Lab Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, LA 245052, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

PAS-ELON East Longmeadow Facility – 39 Spruce St. East Longmeadow, MA 01028

CT PH-0821, ME MA00100, MI 9100, NC (DENR) 652, NC (DW) 25703, MA M-MA100, NH (Secondary) 2516, NH (Primary) 2557, NJ MA007, NY 10899, PA 68-05812, RI LAO00373, VA 460217, VT-255716, WV DEP 419, WV-DW 9979C, LA 05130, LA-DW LA042, MD-DW 373, OH 87781.

For a complete listing of analytes and methods, please contact your Project Manager.

6/18/26

Chain of Custody

6/20/26 L2638524



ENDYNE INC

Alpha Analytical

320 Forbes Blvd

Mansfield

MA

02048

508-898-9222

Customer: Eileen Toomey

Endyne, Inc.

160 James Brown Drive

Williston VT 05495

Etoomey@endynelabs.com

802-879-4333

State of Sample origin: VERMONT

The analysis requested requires the Testing Lab have and maintain TNI/NELAC accreditation. If you do not currently maintain TNI/NELAC accreditation for the parameter/matrix requested in the above referenced State, please Contact Endyne immediately at (802) 879-4333.

Thank you.

Turn Around Time: _____

Special Instructions:

Please report data to MDL and J Code appropriately

SP-PFAS-W

VT0005096

PFAS 537.1

2606-19822-W

Sample		Btl #	Btl Typ	Btl Desc	Pres.	Matrix	Sampled
38524							
01 2606-19822-001	Entry Point	001	537	2 -250 ml Plastic	Tris HCl/Tris, < 6C	DW	6/17/26 9:13
2606-19822-001	Entry Point	002	537	2 -250 ml Plastic	Tris HCl/Tris, < 6C	DW	6/17/26 9:13
02 2606-19822-002	Field Blank	001	537	2 -250 ml Plastic	Tris HCl/Tris, < 6C	DW	6/17/26 9:13

VERNOIS PAGE 6/20/26 07:22

Relinquished by: (Sign, Date, Time) Eileen ToomeyReceived by: (Sign, Date, Time) [Signature] 6/19/26 10:25Relinquished by: (Sign, Date, Time) [Signature] 6/19/26Received by: (Sign, Date, Time) [Signature] 6-19-26 13-Relinquished by: (Sign, Date, Time) [Signature] 6-19-26 17:30Received by: (Sign, Date, Time) [Signature] 6-19-26 19:20

Census Manager 6/20/26 07:12L

6/20 0600

VERNOIS PAGE 6/20/26 06:10



Sample Delivery Group Summary

Pace Job Number : L2638524

Received : 19-JUN-2026

Reviewer : Charles McCrosson

Account Name : Endyne, Inc.

Project Number : 2606-19822

Project Name : 2606-19822-W

Delivery Information

Samples Delivered By : Pace Courier

Chain of Custody : Present

Cooler Information

Cooler	Seal/Seal#	Preservation	Temperature(°C)	Additional Information
A	Absent/	Ice	5.5	

Condition Information

1) All samples on COC received?	YES
2) Extra samples received?	NO
3) Are there any sample container discrepancies?	NO
4) Are there any discrepancies between COC & sample labels?	NO
5) Are samples in appropriate containers for requested analysis?	YES
6) Are samples properly preserved for requested analysis?	YES
7) Are samples within holding time for requested analysis?	YES
8) All sampling equipment returned?	NA

Volatile Organics/VPH

1) Reagent Water Vials Frozen by Client?	NA
--	----

2606-19822

WSID 5096 Jericho UH PFAS

Prepared: 6/15/26

Bill to:

Nancy Benson
Jericho Underhill Water
P.O. Box 174
Underhill VT 05489
Ph: 802-899-3017

Report to:

Nancy Benson
Jericho Underhill Water
P.O. Box 174
Underhill VT 05489
mmaheux@juwater.org;clerk@juwal

Cust #

VTI

PFAI



2606-19822

Jericho Underhill Water
WSID 5096 Jericho UH PFAS

Facility ID: TP001

Smp Pt: EP001

Categ: GE

Smp Type: RT

Repl Ind: N

Compl Ind: Y/N

001

Sampled Date/Time:

06/17/26 @ 9:13am

PFAS WSID Package

2 -250 ml Plastic

Tris HCl/Tris, < 6C

Facility ID: UNKNO

Smp Pt: UNKNO

Categ: UN

Smp Type: UN

Repl Ind: U

Compl Ind: Y/N

Field Blank

Sampled Date/Time:

06/17/26 @ 9:16am

PFAS WSID Package

2 -250 ml Plastic

Tris HCl/Tris, < 6C

Sampler: Ryan Catnoir

Relinquished by: Ryan Catnoir

06/17/26

Date Time

Accepted by:

Relinquished by:

Received by:

Date/Time

06/17/26 11:10

Date Time

Sites/Parameters correct as listed. Client Initials _____

Client Authorization to use Subcontract lab Client Initials _____

Sample origin: VT ☐ NH ☐ NY ☐ Other ☐

Special reporting instructions: (PO#) _____

Requested Turnaround Time: Routine: Rush Due Date _____

Delv: a
Temp C: 0.0
Comment:

One or more sample bottles in this project must be kept refrigerated or on ice until delivery at the laboratory.

Initial here allow Endyne to proceed with analysis if the temperature preservation requirements are not satisfied. _____ Initial
Samples were received in the lab on ice. Y/N



160 James Brown Dr.
Williston, VT 05495
Ph 802-879-4333

56 Etna Road
Lebanon, NH 03766
Ph 603-678-4891

315 New York Rd.
Plattsburgh, NY 12903
Ph 518-563-1720