

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.31, Record generated: 2/11/2026 6:35:06 AM

Submission #: HQK-8YPB-66AA9, version 1

Details

Submitted: 2/10/2026 9:05:04 PM by Lane Simon

ID: VT0005096 2026 January

Submission ID: HQK-8YPB-66AA9

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2026

Month Being Reported (the month the report represents, not the current month)

January

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1176090

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1200416

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
01/01/2026	32970	0.381			
01/02/2026	30973	0.34	0.88		0.91
01/03/2026	33846	0.432			
01/04/2026	32739	0.375			
01/05/2026	57323	0.358	0.73		1.09
01/06/2026	30505	0.375			
01/07/2026	31180	0.384	0.81		0.96
01/08/2026	53766	0.381			

01/09/2026	38786	0.336	0.78		0.99
01/10/2026	33839	0.361			
01/11/2026	36452	0.388			
01/12/2026	32072	0.487	1.01		1.82
01/13/2026	32345	0.387			
01/14/2026	36195	0.387	0.93		1.24
01/15/2026	37330	0.406			
01/16/2026	54372	0.394	0.89		0.98
01/17/2026	30634	0.359			
01/18/2026	33156	0.353			
01/19/2026	32382	0.38	0.82		0.8
01/20/2026	61107	0.382			
01/21/2026	29623	0.379	0.85		1.08
01/22/2026	29075	0.384			
01/23/2026	37872	0.419	0.87		0.9
01/24/2026	48992	0.399			
01/25/2026	30487	0.397			
01/26/2026	51231	0.416	0.86		1.08
01/27/2026	30395	0.429			
01/28/2026	28645	0.511	1.03		1.69
01/29/2026	48651	0.438			
01/30/2026	28932	0.402	0.98		1.1
01/31/2026	50215	0.394			