

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.30, Record generated: 9/11/2025 3:35:04 PM

Submission #: HQF-GSAT-1SW9X, version 1

Details

Submitted: 9/11/2025 3:29:47 PM by Lane Simon

ID: VT0005096 2025 August

Submission ID: HQF-GSAT-1SW9X

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

August

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1370124

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1273722

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
08/01/2025	38377	0.157	0.9		1.35
08/02/2025	36963	0.505	0.9		
08/03/2025	40848	0.722	0.9		
08/04/2025	52320	0.79	0.7		
08/05/2025	56369	0.197	0.9		
08/06/2025	37237	0.237	1		1.19
08/07/2025	35242	0.136	1		
08/08/2025	37340	0.224	0.9		1.22

08/09/2025	35594	0.353	0.9		
08/10/2025	38624	0.386	0.9		
08/11/2025	37148	0.136	0.9		
08/12/2025	37295	0.16	0.7		2.72
08/13/2025	38110	0.173	0.9		1.71
08/14/2025	38519	0.267	0.9		1.42
08/15/2025	51618	0.148	0.9		
08/16/2025	47603	0.237	0.9		
08/17/2025	38402	0.71	0.8		
08/18/2025	34674	0.145	0.9		1.32
08/19/2025	35950	0.353	0.9		
08/20/2025	34904	0.441	0.8		1.55
08/21/2025	38621	0.512	0.9		
08/22/2025	39746	0.206	0.9		2.21
08/23/2025	68878	0.435	0.8		
08/24/2025	40815	0.197	0.8		
08/25/2025	36540	0.173	0.9		1.99
08/26/2025	38367	0.237	0.9		
08/27/2025	38575	0.622	0.9		1.47
08/28/2025	67971	0.258	0.9		
08/29/2025	36616	2.387	0.9		1.45
08/30/2025	39506	0.365	0.9		
08/31/2025					