

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.28, Record generated: 7/11/2025 6:35:06 AM

Submission #: HQE-042N-EJ1Q9, version 1

Details

Submitted: 7/10/2025 10:16:47 PM by Lane Simon

ID: VT0005096 2025 June

Submission ID: HQE-042N-EJ1Q9

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

June

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1456504

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1481935

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
06/01/2025	36063	0.289			
06/02/2025	38058	0.185	0.77		0.74
06/03/2025	175733	0.374			
06/04/2025	65689	0.872	0.69		0.41
06/05/2025	37697	0.524			
06/06/2025	36288	0.353	0.82		0.59
06/07/2025	40878	0.224			
06/08/2025	47966	0.435			

06/09/2025	57150	0.283	0.66		0.75
06/10/2025	34657	0.46	0.77		1.11
06/11/2025	36895	0.301			
06/12/2025	45343	0.832			
06/13/2025	62149	0.249	0.56		0.5
06/14/2025	36795	0.301			
06/15/2025	38732	0.918			
06/16/2025	38014	0.579	0.6		0.52
06/17/2025	73545	0.258			
06/18/2025	40104	0.261	0.41		1.38
06/19/2025	40357	0.292			
06/20/2025	36545	0.338	0.63		1.12
06/21/2025	71877	0.374			
06/22/2025	40473	1.336			
06/23/2025	35483	0.417	0.31		0.99
06/24/2025	35073	0.438			
06/25/2025	37153	0.338	0.41		0.88
06/26/2025	49498	0.46			
06/27/2025	53161	0.304	0.55		0.85
06/28/2025	37234	0.313			
06/29/2025	37503	1.003			
06/30/2025	40501	0.319	0.51		0.75