

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.31, Record generated: 11/10/2025 12:35:06 PM

Submission #: HQH-0FEA-SQTRB, version 1

Details

Submitted: 11/10/2025 12:10:03 PM by Lane Simon

ID: VT0005096 2025 October

Submission ID: HQH-0FEA-SQTRB

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

October

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

183231

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1294870

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
10/01/2025	49940	2.277	94		1.06
10/02/2025	39704	0.652			
10/03/2025	34559	2.442	0.84		1.29
10/04/2025	34491	0.716			
10/05/2025	38636	1.086			
10/06/2025	39639	0.53	0.98		0.89
10/07/2025	38050	0.426			
10/08/2025	39367	1.318	1.01		0.84

10/09/2025	66150	0.447			
10/10/2025	35124	1.034	0.88		1.09
10/11/2025	36883	2.442			
10/12/2025	37373	1.171			
10/13/2025	38793	0.692	0.8		46
10/14/2025	37127	1.642			
10/15/2025	39881	0.454	0.93		1.36
10/16/2025	37602	2.072			
10/17/2025	64752	0.71	0.82		0.84
10/18/2025	36309	2.436			
10/19/2025	39141	0.673			
10/20/2025	37661	0.487	0.95		0.82
10/21/2025	36517	1.724			
10/22/2025	75692	2.436			0.87
10/23/2025	37104	0.512	0.98		
10/24/2025	34783	0.713			
10/25/2025	36283	0.014	0.81		0.9
10/26/2025	37459	0.545			
10/27/2025	38812	0.301	0.89		0.89
10/28/2025	37302	1.614			
10/29/2025	37447	0.35	0.88		0.91
10/30/2025	62231	0.548			
10/31/2025	34198	0.368			