

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.28, Record generated: 3/9/2025 11:35:05 AM

Submission #: HQA-Z3CF-V3P5A, version 1

Details

Submitted: 3/9/2025 11:09:04 AM by Lane Simon

ID: VT0005096 2025 February

Submission ID: HQA-Z3CF-V3P5A

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

February

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1101156

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

687766

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
02/01/2025	34079	0.315			
02/02/2025	58836	0.294			
02/03/2025	30226	0.315	0.57		0.79
02/04/2025	53129	0.3			
02/05/2025	41166	0.339	0.42		1.5
02/06/2025	29167	0.306			
02/07/2025	31028	0.33	0.54		0.94
02/08/2025	44902	0.339			

02/09/2025	41644	0.331			
02/10/2025	30730	0.349	0.74		0.62
02/11/2025	29051	0.171			
02/12/2025	54043	0.334	0.79		0.6
02/13/2025	28242	0.346			
02/14/2025	30981	0.35	0.58		0.81
02/15/2025	71228	0.33			
02/16/2025	54148	0.34			
02/17/2025	28762	0.346	0.77		1.03
02/18/2025	42269	0.32			
02/19/2025	43637	0.319	0.68		0.91
02/20/2025	27833	0.312	0.72		0.91
02/21/2025	54403	0.284			
02/22/2025	28021	0.306			
02/23/2025	29005	0.317			
02/24/2025	55387	0.367	0.73		0.36
02/25/2025	32391	0.309			
02/26/2025	31415	0.308	0.79		0.51
02/27/2025	33407	0.345			
02/28/2025	32026	0.296	0.66		0.38