

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.28, Record generated: 8/11/2025 6:35:05 AM

Submission #: HQE-REAG-GWTMS, version 1

Details

Submitted: 8/10/2025 9:04:03 PM by Lane Simon

ID: VT0005096 2025 July

Submission ID: HQE-REAG-GWTMS

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

July

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1273722

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1456504

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
07/01/2025	36653	0.878			
07/02/2025	47765	2.201	0.5		1.02
07/03/2025	54975	0.967			
07/04/2025	35547	1.119	0.62		0.97
07/05/2025	34534	0.218			
07/06/2025	40236	0.316			
07/07/2025	38349	0.475	0		1.01
07/08/2025	35790	0.909			

07/09/2025	45057	0.689	0.49		0.82
07/10/2025	61548	0.243			
07/11/2025	34799	0.289	0		1.13
07/12/2025	36316	0.79			
07/13/2025	37212	0.405			
07/14/2025	38080	0.594	0		0.99
07/15/2025	54833	0.597			
07/16/2025	52982	0.328	0		1.87
07/17/2025	37593	0.255			
07/18/2025	35255	0.338	0.31		0.97
07/19/2025	35699	0.542			
07/20/2025	38871	0.295			
07/21/2025	37644	0.255	0.36		1.17
07/22/2025	36795	0.841			
07/23/2025	38789	0.994	0.6		0.82
07/24/2025	70086	0.655			
07/25/2025	36349	2.436			
07/26/2025	37046	0.423	0.27		1.42
07/27/2025	36140	1.193			
07/28/2025	37533	2.436	0.7		0.94
07/29/2025	37018	0.289			
07/30/2025	38689	2.436	0.68		1.28
07/31/2025	35539	0.463			