

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.32, Record generated: 5/10/2026 10:35:05 AM

Submission #: HQN-EKBG-18BA9, version 1

Details

Submitted: 5/10/2026 9:50:48 AM by Lane Simon

ID: VT0005096 2026 April

Submission ID: HQN-EKBG-18BA9

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2026

Month Being Reported (the month the report represents, not the current month)

April

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1203663

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

1172155

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
04/01/2026	62702	0.19			
04/02/2026	34591	0.201			
04/03/2026	32980	0.218			
04/04/2026	35344	0.2			
04/05/2026	36869	0.243			
04/06/2026	36430	0.224			
04/07/2026	34110	0.351	0.9		1.15
04/08/2026	36597	0.272			

04/09/2026	62971	0.312	0.74		1.07
04/10/2026	35551	0.315			
04/11/2026	33691	0.247	0.88		0.94
04/12/2026	35565	0.271			
04/13/2026	35883	0.232	0.95		0.98
04/14/2026	36598	0.224			
04/15/2026	38412	0.237	0.83		1.17
04/16/2026	49395	0.253	0.93		1.12
04/17/2026	50042	0.251			
04/18/2026	36077	0.294			
04/19/2026	34147	0.327	0.68		0.95
04/20/2026	32531	0.313	0.89		1.45
04/21/2026	32901	0.318			
04/22/2026	33482	0.303	1.03		1.16
04/23/2026	34022	0.32			
04/24/2026	34620	0.238	0.8		1.22
04/25/2026	37618	0.278			
04/26/2026	66155	0.25	0.76		1.17
04/27/2026	35920	0.281			
04/28/2026	51178	0.264			
04/29/2026	52667	0.305	0.83		0.96
04/30/2026	34614	0.294	0.83		0.8