

Monthly Operations Report for Groundwater Systems and Systems Purchasing Water

Version 1.31, Record generated: 12/10/2025 9:35:09 AM

Submission #: HQH-QYNA-HX6AX, version 1

Details

Submitted: 12/10/2025 9:16:50 AM by Lane Simon

ID: VT0005096 2025 November

Submission ID: HQH-QYNA-HX6AX

Form Input

Water System Information

Water System ID

VT0005096

Name of Water System

JERICO UNDERHILL WATER

Report Year

2025

Month Being Reported (the month the report represents, not the current month)

November

Any notes to share

Is a master meter which measures total water production of the system installed and functioning?

Yes

Meter Readings and Usage

Select how your usage is reported

Gallons

Meter reading on last day of previous month

0

Meter reading on last day of reporting month

0

Total Water Production for the Reporting Period

1176875

Displayed below is your usage (in gallons) for the most recent period for which you submitted a report. This is provided for informational purposes only.

Prior Report Total Water Production

183231

Continuous Monitoring of Free Chlorine Residuals

For systems with a population greater than 3300, continuous monitoring for free chlorine residuals is required. Those systems should also respond to the following questions:

Did continuous monitoring fail at any time this month?

No

Are you submitting a daily detail table?

Yes

Daily Data Detail Table (1 of 1)

Facility

TP001 - TREATMENT PLANT 1

Did the facility utilize standby chlorination at any point during this reporting period

Yes

Are you writing down the numbers from the meter display or are you calculating the amount of water produced each day?

Recording the meter each day

Does the meter report in gallons or cubic feet?

Gallons

Daily Reporting Data

Day	Meter or Gallons	EP Cl Residual Daily Low (mg/L)	Fluoride (mg/L)	pH average	Phosphate Daily Low (mg/L)
11/01/2025	36861	0.326	0.85		1.5
11/02/2025	36319	0.369			
11/03/2025	35189	0.328	0.9		0.95
11/04/2025	35979	0.36			
11/05/2025	36838	0.343	0.77		1.34
11/06/2025	36189	0.37			
11/07/2025	36529	0.363	0.82		0.91
11/08/2025	36513	0.365			

11/09/2025	37993	0.225			
11/10/2025	63400	0.387	0.92		0.86
11/11/2025	34731	0.456			
11/12/2025	35394	0.435	0.79		0.91
11/13/2025	33558	0.451			
11/14/2025	36748	0.445	0.84		0.9
11/15/2025	35612	0.469			
11/16/2025	39473	0.41			
11/17/2025	36210	0.461	0.67		1.09
11/18/2025	36463	0.439			
11/19/2025	36231	0.43	0.8		0.92
11/20/2025	36186	0.433			
11/21/2025	100750	0.126	0.6		1
11/22/2025	33578	0.229			
11/23/2025	36208	0.211			
11/24/2025	34743	0.24	0.98		0.93
11/25/2025	37546	0.228			
11/26/2025	35333	0.24	0.84		0.85
11/27/2025	37316	0.207			
11/28/2025	33960	0.226	0.78		1.01
11/29/2025	37125	0.227	0.88		0.91
11/30/2025	37900	0.221			